

SAFETY DATA SHEET

Page. 1/4

Product: C-Caulk & C-Glue
Date of issue: 16-02-11

Revision: 0

Aegir Cork Group Sas

1. Identification of the substance/preparation and the company

Chemical product: Silicone sealant
Manufactured by: Aegir Cork Group Sas
40310 Gabarret (France) Tel: +33 5 58 52 32 01
Security Tel: +33 (1) 40054848 Poison Center - Paris -FR
Mail contact MSDS: info@seacork.com

*2. Hazards identification

Contains piperidyl sebacate . May cause allergic reactions.

*3. Composition / Components information

Preparation containing pre polymer silane, filler and additives:

Hazardous products	CAS Number	EINECS	% weight	Symbol / R-Phrases
Carbonate de calcium	471-34-1	207-439-9	20 - 50	-
Limestone (Carbonate de calcium)	1317-65-3	215-279-6	20 - 50	-
Ester de ftalate	68515-49-1	271-091-4	20 - 30	-
trimethoxyvinylsilane	2768-02-7	220-449-8	2 - 5	Xn / R10, 20
Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate	41556-26-7	255-437-1	0.1 – 0.5	Xi, N / R43, 50/53
Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate	8299-37-7	280-060-4	0.1 – 0.5	Xi, N / R43, 50/53

4. First-aid measures

In case of eyes contact, rinse eyes with plenty of water.

In case of skin contact, remove product mechanically and wash immediately with soap and water. If skin reactions occur, contact a physician.

If swallowed seek medical attention.

SAFETY DATA SHEETPage. 2/4

Product: C-Caulk & C-Glue
Date of issue: 16-02-11

Revision: 0

Aegir Cork Group Sas

5. Fire-fighting measures

Extinguishing media: No restriction.

6. Accidental release measures

Remove mechanically.
Ensure adequate ventilation or exhaust ventilation in the working area.
Do not breathe vapours from product.

7. Handling and storage

Keep container tightly closed and dry.
Keep in a cool place.
Ensure adequate ventilation or exhaust ventilation in the working area

8. Exposure controls/Personal protection

Carbonate de calcium	n° CAS: 471-34-1	TWA : 10 mg/m ³
Ester ftalato	n° CAS: 68515-49-1	TWA : 5 mg/m ³
Limestone	n° CAS: 1317-65-3	TWA : 10 mg/m ³

Ventilate room well (with air inflow and outflow). Source ventilation if necessary.
Avoid vapours inhalation.
You wash hands before breaks and at the end of the work.
Observe usual precautions when handling chemicals.

9. Physical and chemical properties

Physical condition:	paste
Smell:	alcohol
Density:	Approx. 1,50 g/cm ³

SAFETY DATA SHEET

Page. 3/4

Product: C-Caulk & C-Glue
Date of issue: 16-02-11

Revision: 0

Aegir Cork Group Sas

10. Stability and reactivity

Thermal decomposition: No decomposition when used properly.

Hazardous decomposition products: Reacts with water/humidity under formation of small quantities of methanol.

11. Toxicological information

The product presents no health hazard when use properly and with the usual precautions for industrial hygiene.

12. Ecological information

It is not generally hazardous to water.

Do not allow escaping into waters, wastewater or soil.

13. Disposal considerations

May be incinerated in a suitable facility provided local regulations are observed.

14. Transport information

It is not dangerous to the transport. Without restrictions.

15. Regulatory information

Safety Data Sheets made in agreement of Regulation 1907/2006 (REACH)

Labelling according to EEC Directives 1999/45, 2001/60, 2001/58.

Contains Bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and Methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate

Can cause allergic reactions

SAFETY DATA SHEETPage. 4/4

Product: C-Caulk & C-Glue
Date of issue: 16-02-11

Revision: 0

Aegir Cork Group Sas

16. Other information

Text R-Phrases indicate to the safety data sheet:

10: Flammable

20: Harmful by inhalation

43: May cause sensitisation by skin contact

50/53: Very toxic aquatic organisms may cause long term adverse effects in the aquatic environment.

This data complete the technical data for use, but it doesn't replace it. The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements.

The data does not signify any warranty with regard to the products' properties.

Our technical advice on application, whether verbal or written or by tests carried out to our best knowledge, true and accurate, but has to be considered only as an indication without compromise, also, for what it concerns possible industrial property rights to others. It does not excuse the user to check before and the products supplied by us to verify the suitable procedures, and expected results and confirm the disposition of the products latest technical data issued by the manufacturer. The application and use of our products is beyond our control, for which are of the exclusive responsibility of the user. If any responsibility were to be considered ours, this would be only for any damages and for the value of the merchandise supplied by us and used by the customer. It is over understood that we warranty the irreproachable quality of our products in accordance with our General Conditions of Sales and Supply.

www.seacork.com



Aegir Cork Group Sas

RD7 Quartier de la Bourrette
83340 Flassans sur Issole (France)
Tel: +33 4 94805752
Mail: info@seacork.com